

VILLAGE OF CHATHAM, ILLINOIS

ORDINANCE NO. 09-19

AN ORDINANCE FIXING RATES AND CHARGES FOR SEWER SERVICE
FURNISHED BY THE SEWER/WATERWORKS SYSTEM AND AMENDING
THE VILLAGE OF CHATAM CODE OF ORDINANCES

ADOPTED BY THE PRESIDENT AND BOARD OF TRUSTEES OF THE VILLAGE OF
CHATHAM, ILLINOIS THIS 12th DAY OF MAY, 2009

Published in pamphlet form by the authority of the President and
Board of Trustees of the Village of Chatham, Sangamon County,
Illinois, this 12th day of May, 2009.

Ordinance No. 09 - 19

AN ORDINANCE FIXING RATES AND CHARGES FOR SEWER SERVICE
FURNISHED BY TH SEWER/WATERWORKS SYSTEM AND AMENDING
THE VILLAGE OF CHATHAM CODE OF ORDINANCES

BE IT ORDAINED BY THE PRESIDENT AND BOARD OF TRUSTEES OF THE
VILLAGE OF CHATHAM, SANGAMON COUNTY, ILLINOIS, AS FOLLOWS:


SECTION 1: Section 51.106 (A) of the Code of Ordinances of the Village of Chatham
is amended to state as follows:

(A) (1) The rates shall be and are based upon the amount of water provided by the water
workers system of the village. A minimum charge of \$9.01 per month shall be applied to all
users whose water consumption does not exceed 3000 gallons per month s measured by the water
meter for the user facility.



(A)(2) The following shall be the rates to users consuming water supplies through the
waterworks system of the Village of Chatham, payable monthly within 15 days after rendition of
each bill.

<u>Volume</u>	<u>Rate</u>
0 - 3,000 gal/month	\$ 9.01
3001 - 6000 gal/month	\$ 3.02 per 1000 gal
Over 6000 gal/month	\$ 1.17 per 1000 gal

SECTION 4: This Ordinance shall take effect with respect to bills due on or after June
1, 2009. The Clerk shall forthwith publish this Ordinance in pamphlet form, and shall see to its
inclusion in the next annual update of the Village of Chatham Code of Ordinances.


Thomas S. Gray, President

ATTEST:

 BY , DEPUTY CLERK
Pat Schad, Clerk

AYES: 6, HERR, SCHATTMAN, BOYLE, REYNOLDS, McGRATH, KAVANAGH

NAYS: 0

PASSED: 5-12-2009

ABSENT: 0

APPROVED: 5-12-2009

